


Your Mission. Your Way.



Shipping and Moving

www.GSAglobalsupply.gsa.gov

See it. Buy it. Get it.

Make GSA Your Source for Shipping and Moving Supplies.

GSA provides support to military and civilian agencies acquiring shipping and moving supplies, while offering flexible options designed to accommodate specific requirements. Together, these benefits present comprehensive and flexible choices suitable for meeting any office product requirement.

Highlights of GSA's Flexible Requisition/Acquisition Methods:

Requisitioning from GSA

GSA Global Supply™ procures shipping and moving supplies meeting the recurring needs of your federal agency or branch of the military. Since GSA Global Supply has already procured the most in-demand shipping and moving supplies on the government's behalf, obtaining these products through GSA Global Supply is a simple requisition between agencies – no comparison shopping is necessary. Standard shipping is included with most orders and "direct delivery" products are clearly identified.

This catalog features some of GSA Global Supply's most popular shipping and moving supplies. To view GSA Global Supply's complete offering of shipping and moving supplies, visit www.GSAglobalsupply.gsa.gov. Once on the Web site, select "Go" beneath the "Browse Products" option. After you advance to the next page, choose the "Office Supplies" tab and then the labeling, mailing and packaging link. You will find a vast array of products including boxes and containers, mailing supplies, packing material and more.

For additional information about ordering from GSA Global Supply, see page 1 of this publication.

Purchasing from a GSA Vendor

By offering shipping and moving supplies that cover the breadth of the commercial marketplace, the GSA Multiple Award Schedule (MAS) program enables your agency to choose from thousands of office products, available from hundreds of pre-qualified vendors. Typically, this method of procurement is quicker and easier than open-market procurements. Although an acquisition is a more involved option than a requisition through GSA Global Supply, issuing a purchase order through the MAS program may be appropriate for obtaining office products not widely requested enough to be included in the GSA Global Supply inventory. For more information, visit www.gsa.gov/products and click the "Office Supplies and Equipment" link.

Special Order Program

GSA Global Supply has a robust Special Order Program (SOP). Customer agencies can place requisitions for NSN or part numbered items with GSA Global Supply and be assured that GSA will take all the necessary steps to ensure compliance with all Federal Acquisition Regulations (FAR) and Executive Orders. GSA Global Supply's SOP Program includes a wide variety of products and related services such as tools and hardware, office products, cleaning supplies and fire equipment. SOP items can be ordered from GSA Global Supply by calling the GSA Global Supply call center at (800) 525-8027 or via FEDSTRIP/MILSTRIP. GSA Global Supply Stores or Base Stores supported by GSA Global Supply can also assist with placement of SOP orders (visit www.gsa.gov/globalsupply for more information on Global Supply stores and Global Supply base partners).

Ensuring Reuse with GSA Personal Property Management

Screening other agencies' excess personal property inventories is the federal government's priority source of supply. And with today's increased environmental consciousness, reusing excess property is a source of pride. To help you acquire the excess property your agency needs, GSA offers www.gsa.gov/gsaxcess, the personal-property reporting tool for the federal government. At GSAXcess®, reporting, searching and selecting excess property is convenient and user-friendly.

In addition to the shipping and moving supplies available through GSA Global Supply, GSA has contracts in place with hundreds of vendors that offer a wide variety of office products. The selection is comparable to that of the commercial marketplace but without the burden of performing an open-market procurement. For detailed descriptions of the products below and vendor listings, please access the GSA eLibrary through www.gsa.gov/elibrary.

- MAS 36 for Office Imaging and Document Solutions covers equipment and services used to create, duplicate, and manage documents. These include copiers, duplicators and associated supplies, mail management equipment, document conversion services, document identification systems, and more
- MAS 48 for Transportation, Delivery and Relocation Solutions offers relocation software, technology tools and services, ground transportation services, the Rental Supplement Vehicle Program (RSVP), transportation consulting services, express small package and express heavyweight delivery services, ground small package delivery services, local courier delivery services, a relocation service package, agency customization services, move management services, office relocation, corporate housing lodging services, and much more.
- MAS 51 V, Hardware SuperStore This MAS is one of the world's largest suppliers of quality products to government customers on a global scale. These products include tools, appliances, lawn and garden equipment, paints, sealants and adhesives. Hardware SuperStore also provides federal agencies with streamlined procurement of all the services necessary to maintain and manage a facility. This MAS also provides for ancillary services relating to or supporting products and services offered under MAS 51 V, as well as accessories in support of, and ancillary to, the commodities offered.
- MAS 73, Food Service, Hospitality, Cleaning Equipment and Supplies, Chemicals and Services.
- MAS 75 for Office Products/Supplies and Services and New Products/Technology offers customers access to office products, and restroom products to assist in daily business operations. Items include shipping and moving supplies, copier paper, writing instruments, toner, labels, desktop supplies, automated data products, paper towels, and more.
- MAS 81IB for Shipping, Packing and Packaging Supplies provides pallets, bags, hazardous material packaging, shipping, packaging, radio frequency materials, and packing supplies.
- MAS 71 III E, Miscellaneous Furniture Includes Security Filing Cabinets, Safes, Vault Doors, Map and Plan Files and Accessories, COMSEC Containers and Special Access Control Containers.

Shipping and moving products from GSA Global Supply



GSA Global Supply offers a large selection of products to support your shipping, moving and storage needs. From pallets and strapping to boxes and labels, GSA Global Supply provides quality products backed by our service guarantees.

- Easy Requisitions See It. Buy It. Get It.
- Flexible Featuring Multiple Ordering Options
- Reliable Delivering the Products You Need, Where You Need Them
- Anywhere Assuring Global Delivery
- Anytime Supporting 24/7 Purchasing
- More Offering Extensive Product Selection
- Safe Providing Easy Compliance

The items in this publication represent our best selling shipping and moving supplies. To view our complete line, visit www.GSAglobalsupply.gsa.gov.

Contents

Large Shipment Solutions
Boxes and Mailers4
Pack and Wrap Materials8
Mailroom Equipment and Supplies 15



Ordering

Online (24 Hours): www.GSAglobalsupply.gsa.gov

The GSA Global Supply Web site gives you access to tens of thousands of tools, office supplies, computer products and other items. You can use your government purchase card or arrange direct billing with your Activity Address Code (AAC/DoDAAC). Select the items you want and place your order.

All GSA Global Supply items are also available via **GSA**Advantage!® and the DOD EMALL web site.

Telephone: (800) 525-8027 DSN 465-1416

Call our toll-free number to place your order. We are open from 7:30 a.m. to 8 p.m. (Eastern Time), Monday through Friday.

Fax Orders (24 Hours): (800) 856-7057

You will receive a confirmation via fax.

Part Number Ordering

Many GSA Global Supply catalogs feature items with National Stock Numbers (NSNs) and others with GSA part numbers. FEDSTRIP/MILSTRIP customers can order GSA part-numbered items by using one of the following identifiers:

- AOB: For domestic shipment
- AO2: For overseas shipment

Both NSNs and GSA part-numbered items carry the same customer benefits. All are FAR-compliant and AbilityOne Guaranteed. All can be shipped anywhere on the globe. All are backed by GSA Global Supply customer service.



DOD EMALL

All GSA Global Supply items appear on the DOD EMALL site.

Customers must use their AAC/DoDAAC to purchase GSA items.

Large Shipment Solutions

Uni-Pak Pallet Sleeve



Complete state-of-the-art storage/shipping system is constructed of heavy-duty AAA-fluted configuration fiberboard sleeve, a plastic top, and a plastic bottom pallet (with four-way entrance capability). The sleeve can be locked with bottom pallet and top to create a rigid and secure system, eliminating strapping and stretch wrapping. The rugged and impactresistant bottom pallet and top are formed from two sheets of high-density

polyethylene. Palletized loads (up to 10,000 lbs.) can be stored up to four high. The 40" x 48" bottom pallet and top have nesting capabilities to save space and stack securely. Reusable system is designed for years of service. Sleeves are collapsible and designed to occupy nearly 30% less space than traditional systems.

Designed for use with Uni-Pak top NSN 8115-01-444-0211 and pallet bottom NSN 8115-01-444-0206. Drop panel included to provide easy access to each container even when stacked.

8115-01-444-0212	Uni-Pak	White	40"W x 48"L x 45"D	EA	\$45.01
	P/N LIP404845SS104				

Designed for use with Uni-Pak top NSN 8115-01-444-0211 and pallet bottom NSN 8115-01-444-0206. Does not include drop panel.

8115-01-444-0197	Uni-Pak	White	40"W x 48"L x 30"D	EΑ	\$34.46
	P/N UP404830SS03	4			******
8115-01-444-0198	Uni-Pak	White	40"W x 48"L x 45"D	EA	\$45.01
	D/N 1 ID4048459913	1			

Uni-Pak Pallet Top



Designed to be used with the Uni-Pak sleeves NSNs 8115-01-444-0198, 8115-01-444-0197 or 8115-01-444-0212. For bottom pallet, purchase NSN 8115-01-444-0206.



Uni-Pak Pallet Bottom (Base)



Designed to be used with the Uni-Pak sleeves NSNs 8115-01-444-0198, 8115-01-444-0197 or 8115-01-444-0212. Top should be ordered using NSN 8115-01-444-0211.

8115-01-444-0206	Uni-Pak	Black Plastic	40"W x 48"L	EA	\$67.57
	P/N UP404830SS02				

Shipping/Storage System

Kit contains black plastic top, base and corrugated fiberboard sleeve. Pallet is 4-way entry, nestable, fire retardant, reusable, with a 3,000 lb. capacity. Made of thermoformed high density polyethylene, assembled pallet weighs 22-lbs. and features nodrop panel. Also includes eight



locking clips to attach top with sleeve and sleeve with base.

Actual sleeve height is 24".

8115-01-556-2579 NEW	Black/White	40" x 48" x 30.5"	KT	\$119.05
Actual sleeve height is 30".				
8115-01-556-2580 NEW	Black/White	40" x 48" x 36.5"	KT	\$120.46



Actual sleeve height is 45".

8115-01-556-2581	NEW	Black/White	40" x 48" x 51.5"	KT \$126.51

For the most current information on availability and pricing, visit us online at www.GSAglobalsupply.gsa.gov.

Triad Kit

Triads are containers that are filled with meals and other emergency necessities, and are able to be dropped from low flying C-17s. The triads split open, and the supplies are released to emergency victims. This triad kit consists of everything needed to build a complete Triad. Kit includes: one of Tri-Wall Sleeve NSN 8115-01-540-6064 (40 x 48 x 80); two of Tri-Wall Cap NSN 8115-01-540-4903 40" x 48" x 12"; one of Plywood NSN 8115-01-540-4158 (7/32" x 2 ft. x 4 ft.); 1-1/2 sheets of Honeycomb Pad NSN 1670-00-753-3928 (36 x 96 x 3"); five yards of Nylon Cord NSN 4020-00-240-2146 (Type III); 33 yards of Nylon Webbing NSN 8305-00-263-3591 (Type VIII); seven yards of Tubular Nylon Webbing NSN 8305-00-268-2455 (1"); one Small Clevis NSN 4030-00-678-8560 (G-13); and Adhesive Tape NSN 8305-00-074-5124.

8115-01-544-2416 AbilityOne KT \$500.85

Plastic Pallet



Plastic pallet features four-way entry and is nestable, fire-retardant and reusable. Twin-sheet thermoforming method to provide for lighter weight. Made of thermoformed high-density polyethylene. Pallets are designed for general use with a fork lift.


Capacity: 3,000 lbs. dynamic load. Overall weight: 22 lbs.

8115-01-535-0150	Matte Black	48"L x 40"W x 6"H	EA	\$56.02

Capacity: 2,500 lbs. dynamic load. Overall weight: 19 lbs.

8115-01-535-0149 Black 48"L x 40"W x 6.5"H EA \$39.17

Plastic Pallet (Winged)



Plastic pallet features four-way entry and is nestable, fire-retardant and reusable. Twin-sheet thermoforming method to provide for lighter weight. Made of thermoformed high-density polyethylene. Pallets are designed for general use with a fork lift.

Pallets are designed to be uniformly loaded and lifted by their end wings for rapid loading/unloading to and from docks, for various deployment aboard ships, and/or utilized in the conventional way by fork lift. Capacity 3,000 lbs. dynamic load. Wings extend 4" on each end.

8115-01-535-0147 Matte Black 48"L x 40" W x 6"H EA \$90.20

Strapping



Nailless, regular-duty, organic coated, Grade-N steel strapping has a nominal basis weight of 19.6 feet per pound. Meets ASTM D 3953-87 Professional/Industrial Association Standard. Minimum breaking strength of 1,200-lbs.

8135-00-285-4748 DD 3/4"W x 1/50" Thickness CL(contains 100 LB) \$110.77

Nailless, heavy-duty, zinc coated finish strapping meets ASTM 3953, Type I, Grade 2 steel and has a nominal basis weight of 11.2 feet per pound. Minimum breaking strength of 2,850-lbs.

8135-00-283-0670 DD 3/4"W x 1/26" Thickness CL(contains 60 LB) \$86.35

Nailless, regular-duty, organic coated finish coil meets ASTM D 3953-87 Type 1, Grade N steel. Minimum breaking strength of 1,000-lbs.

8135-00-281-4071 DD 5/8"W x 1/50" Thickness CL(contains 100 LB) \$110.77

Nailless, regular-duty, zinc coated coil strapping meets ASTM D 3953-87 Type 1, Grade 2 steel. Minimum breaking strength of 1,000-lbs.

8135-00-283-0667 DD 5/8"W x 1/50" Thickness CL(contains 100 LB) \$121.50

Nailless, regular-duty, zinc coated coil strapping meets ASTM-D 3953-87 Type 1, Grade 2 steel. Minimum breaking strength of 1,200-lbs.

8135-00-283-0668 DD 3/4"W x 1/50" Thickness CL(contains 100 LB) \$121.50

Nailless, heavy-duty, zinc coated coil strapping meets ASTM D 3953-87 Type 1, Grade 2 steel. Minimum breaking strength of 4,750-lbs.

Nailless, regular-duty, plastic coated, woven cord strapping meets ASTM 3950 Type 1A standards. Minimum breaking strength of 467-lbs. Item is packaged in a coil.

8135-00-956-2151 NEW DD CL(contains 3900 FT)\$994.55

Plastic Wrap



Normal impact-strength polyethylene plastic film is for general-purpose packaging. It protects items from dust and is highly resistant to water and moderately resistant to vapor. Low-slip type. (Note: Thickness is listed for identification purposes as nominal. Actual thickness may be less than listed.)

Not for use in contact with food.

8135-00-584-0619	AbilityOne	Clear	Width: 8 ft., 4";	RO(contains 200 FT)	\$36.33
			Thickness: 0.002"		
8135-00-579-6489	AbilityOne	Clear	Width: 12 ft.;	RO(contains 100 FT)	\$57.77
			Thickness: 0.006"		

(NFES #0143)

8135-00-618-1783	AbilityOne	Clear Width: 16 ft.;	RO(contains 100 FT)	\$68.86
		Thickness: 0.006"		

(NFES #0144)

8135-00-579-6487	AbilityOne	Black	Width: 20 ft.;	RO(contains 100 FT)	\$88.97
			Thickness: 0 006"		

Stretch Wrap Film



Machine wrap for the Mobilrap Pro80 is 80 gauge and is suitable for protecting large shipments, boxes or packages.

8135-01-386-2322	Width: 20"	RO(contains 6000 FT)	\$67.07
------------------	------------	----------------------	---------

Cargo Net



For the transport and delivery of freight suspended from beneath helicopters. Net is round with drawstring, with a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-502. (NFES #0531)

1670-01-029-8556 Diameter: 12-1/2 ft. EA \$345.43

Boxes and Mailers

Padded Envelope

Shipping envelope protects publications, small parts, and other articles during mailing and handling with a cushioned plastic film lining. Made of doublewalled kraft paper with a flat bottom. Opens on one short side.

Cushioned envelope has closed-cell plastic bubble film liner and a self-stick, adhesive-coated sealing flap. Envelope is lightweight. Size and minimum inside dimensions shown.



Contains 15% Postconsumer Material for Paper 100% Postconsumer Material for Cushioning

Load capacity is 13 oz. (360g).

8105-00-117-9860	0 (6" x 10")	PG(contains 250 EA)	\$38.33
	H (425.)		
Load capacity is 1.4	lbs. (635g).		
8105-00-117-9866	1 (7 1/4" x 12")	PG(contains 100 EA)	\$20.18
	(000)		
Load capacity is 2 lb	s. (900g).		
8105-00-117-9869	2 (8 1/2" x 12")	PG(contains 100 EA)	\$22.46
	(-)		
Load capacity is 2.4	lbs. (1.1kg).		
8105-00-117-9870	3 (8-1/2" x 14 1/2")	PG(contains 100 EA)	\$27.62
Load capacity is 3 lb	s. (1.4kg).		
8105-00-117-9872	4 (9-1/2" x 14-1/2")	PG(contains 100 EA)	\$28.43
	/ - \		
Load capacity is 4.2	lbs. (1.9kg).		
Load capacity is 4.2 8105-00-117-9879		PG(contains 100 EA)	\$33.44
8105-00-117-9879	5 (10-1/2" x 16")	PG(contains 100 EA)	\$33.44
1 2	5 (10-1/2" x 16")	PG(contains 100 EA)	\$33.44
8105-00-117-9879	5 (10-1/2" x 16") 1bs. (3.3kg).	PG(contains 100 EA) PG(contains 50 EA)	\$33.44 \$19.00
8105-00-117-9879	5 (10-1/2" x 16") **Ibs. (3.3kg).** 6 (12-1/2" x 19")	, i	
8105-00-117-9879	5 (10-1/2" x 16") **Ibs. (3.3kg).** 6 (12-1/2" x 19")	, i	

Prices on Direct Delivery boxes may vary due to freight costs.



Cushioned envelope features a padding of macerated paper. Features a self-adhesive coated sealing flap. Bags are preprinted with "From" and "To" followed by three lines for addressing. Size and minimum inside dimensions shown.

Load capacity is 10 lbs. (4.5kg).

Contains 15% Postconsumer Material for Paper 100% Postconsumer Material for Cushioning

8105-00-290-0340	<u>CPG</u>	6" x 10"	BX(contains 250 EA)	\$46.50
8105-00-290-0343	<u>CPG</u>	8-1/2" x 12"	HD	\$21.90
8105-00-281-1168	<u>CPG</u>	9-1/2" x 14-1/2"	HD	\$24.63
8105-00-281-1436	<u>CPG</u>	10-1/2" x 16"	HD	\$28.32
8105-00-281-1167	<u>CPG</u>	12-1/2" x 19"	BX(contains 50 EA)	\$21.79
8105-00-281-1169	<u>CPG</u>	14-1/2" x 20"	BX(contains 50 EA)	\$25.47

Especially useful for shipping or storing small, delicate instruments and electronic components. Made of 3/16"-thick, closed-cell, bubble-style plastic cushioning material formed into a bag, with an interlocking seal closure. Does not include a liner. Reads: "REUSABLE - DO NOT DISCARD".

8105-00-137-9131 Transparent 12" x 12" PG(contains 50 EA) \$70.03

Tear-Resistant Envelope

Light-weight, fiber-strengthened Tyvek mailing envelope holds up well during transport and is nearly impervious to ripping. Envelopes are moisture-resistant and tear-resistant and feature open end instant stick closure; just peel and press for secure mailing.



30% Recovered Material Contains 30% Recovered Material



Tyvek lightweight envelope is tear- and water-resistant. Includes a protective strip over the self-adhesive flap. "Official Business" is printed in the upper left-hand corner in blue or black ink.

End opening.

7530-01-153-9699	White	12" x 15-1/2"	BX(contains 500 EA) \$413.49

CD Mailer



Accommodates a single CD without jewel case. Self-adhesive with an easy-open strip.

3 75% Postconsumer Material

Corrugated Box



This corrugated, fiberboard shipping box features overlapped, glued joints or butted, taped joints. (Dimensions shown below are inside dimensions in order of length, width and depth.)

Single-walled box falls into the domestic service class and is not weather-resistant.

Regular-slotted box has a bursting strength of 200 psi. Features four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 65 lbs.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-861-1574	DD	CPG	11-1/4" x 8-3/4" x 4"	BD(contains 25 EA)	\$12.41
8115-00-179-0575	DD	CPG	12" x 10" x 8"	BD(contains 25 EA)	\$16.62
8115-00-290-3370	DD	<u>CPG</u>	12" x 12" x 12"	BD(contains 25 EA)	\$18.85
8115-00-290-3376	DD	<u>CPG</u>	14" x 14" x 8"	BD(contains 25 EA)	\$26.19
8115-00-290-3380	DD	CPG	15" x 15" x 28"	BD(contains 15 EA)	\$33.38
8115-00-290-3386	DD	<u>CPG</u>	18" x 15" x 5-1/2"	BD(contains 25 EA)	\$41.99
8115-00-290-3387	DD	<u>CPG</u>	18" x 18" x 18"	BD(contains 15 EA)	\$43.14
8115-00-290-3394	DD	<u>CPG</u>	25" x 20" x 5"	BD(contains 15 EA)	\$28.19

Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lbs.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-079-8677		<u>CPG</u>	12" x 9" x 6"	BD(contains 25 EA)	\$21.54
8115-00-079-8679	DD	CPG	12" x 12" x 4"	BD(contains 25 EA)	\$25.93
8115-00-079-8680	DD	<u>CPG</u>	12" x 12" x 12"	BD(contains 25 EA)	\$22.78
8115-00-079-8681		<u>CPG</u>	14" x 12" x 6"	BD(contains 25 EA)	\$30.58
8115-00-179-0578	DD	CPG	16" x 10" x 8"	BD(contains 25 EA)	\$21.76
8115-00-079-8697	DD	<u>CPG</u>	16-1/2" x 12" x 10"	BD(contains 25 EA)	\$32.18
8115-00-079-8745	DD	<u>CPG</u>	16" x 16" x 16"	BD(contains 15 EA)	\$28.83
8115-00-179-0579	DD	<u>CPG</u>	18" x 12" x 10"	BD(contains 25 EA)	\$31.28
8115-00-179-0580	DD	CPG	18" x 14" x 18"	BD(contains 25 EA)	\$53.25
8115-00-079-8788		<u>CPG</u>	18" x 15" x 11"	BD(contains 15 EA)	\$40.40
8115-00-079-8823	DD	<u>CPG</u>	20" x 20" x 20"	BD(contains 15 EA)	\$42.75
8115-00-079-8825		<u>CPG</u>	24" x 12-1/2" x 10"	BD(contains 15 EA)	\$31.74
8115-00-079-8989	DD	<u>CPG</u>	32" x 15" x 15"	BD(contains 15 EA)	\$43.99

Special full-flap, slotted box has a bursting strength of 350 psi. Outer flaps overlap the full length of the box; inner flaps meet in the center. Style SFF. Maximum weight of box and contents is 120 lbs.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

0445 00 470 0550	DD.	CDC	00 4/01 451 451	DD/+-! 45 EA\	670.07
8115-00-179-0550	וטטן	CPU	23-1/2" x 15" x 15"	BD(contains 15 EA)	\$/3.8/

Single-walled weather-resistant box.

Regular-slotted box has a bursting strength of 275 psi. Features four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lbs.

Ontains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-183-9501	DD	AbilityOne	8" x 8" x 6"	BD(contains 25 EA)	\$52.07
------------------	----	------------	--------------	--------------------	---------

Regular-slotted box has a bursting strength of 275 psi with four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 95 lbs.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-183-9498		8" x 8" x 8"	BD(contains 25 EA)	\$71.74
8115-00-183-9497	AbilityOne	10" x 8" x 6"	BD(contains 25 EA)	\$39.58
8115-00-183-9494	AbilityOne	10" x 10" x 8"	BD(contains 25 EA)	\$65.53

Regular-slotted box has a bursting strength of 400 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 140 lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-190-4959 I	DD	AbilityOne	10" x 10" x 10"	BD(contains 25 EA)	\$56.20
8115-00-176-8062	DD	AbilityOne	12" x 10" x 10"	BD(contains 25 EA)	\$76.73
8115-00-229-9340	DD	AbilityOne	12" x 12" x 6"	BD(contains 25 EA)	\$67.52
8115-00-417-9378	DD	AbilityOne	12" x 12" x 8"	BD(contains 25 EA)	\$87.26
8115-00-183-9491	DD	AbilityOne	12" x 12" x 12"	BD(contains 25 EA)	\$74.93
8115-00-418-4653	DD	AbilityOne	12" x 12" x 16"	BD(contains 25 EA)	\$110.08
8115-00-418-4656	DD	AbilityOne	12" x 12" x 20"	BD(contains 25 EA)	\$121.50
8115-00-183-9488	DD	AbilityOne	14" x 12" x 8"	BD(contains 25 EA)	\$91.93
8115-00-183-9489	DD	AbilityOne	14" x 14" x 12"	BD(contains 25 EA)	\$96.09
8115-00-417-9320	DD	AbilityOne	14" x 14" x 18"	BD(contains 25 EA)	\$136.30

Regular-slotted box has a bursting strength of 400 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 140 lbs. (NFES #0823)

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-417-9318	AbilityOne	15" v 15" v 10"	BD(contains 25 EA)	\$56.36
0113-00-417-3310	ADIIILVOITE		DDIGUIIIAIIIS 23 LAI	950.50

Regular-slotted box has a bursting strength of 400 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 140 lbs.

Ontains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-183-9487	DD	AbilityOne	16" x 12" x 8"	BD(contains 25 EA)	\$71.38
8115-00-183-9484	DD	AbilityOne	16" x 14" x 12"	BD(contains 25 EA)	\$122.52
8115-00-451-7853	DD	AbilityOne	16" x 16" x 12"	BD(contains 25 EA)	\$136.09
8115-00-190-5002	DD	AbilityOne	16" x 16" x 16"	BD(contains 25 EA)	\$114.07
8115-00-190-5007	DD	AbilityOne	18" x 15" x 10"	BD(contains 25 EA)	\$127.70
8115-00-417-9292	DD	AbilityOne	18" x 15" x 15"	BD(contains 15 EA)	\$97.03
8115-00-183-9482	DD	AbilityOne	18" x 18" x 12"	BD(contains 15 EA)	\$103.30
8115-00-428-4185	DD	AbilityOne	18" x 18" x 18"	BD(contains 15 EA)	\$93.64
8115-00-514-2409	DD	AbilityOne	18-3/4" x	BD(contains 15 EA)	\$80.25
			12-1/4" x 12"		
8115-00-190-5012		AbilityOne	20" x 8" x 9"	BD(contains 15 EA)	\$72.65
8115-00-275-5777	DD	AbilityOne	20" x 16" x 16"	BD(contains 15 EA)	\$91.46
8115-00-428-4183	DD	AbilityOne	20" x 20" x 12"	BD(contains 15 EA)	\$117.23
8115-00-417-9236	DD	AbilityOne	24" x 20" x 16"	BD(contains 15 EA)	\$137.81
8115-00-428-4158	DD	AbilityOne	20" x 20" x 20"	BD(contains 10 EA)	\$83.72
8115-00-598-5807	DD	AbilityOne	21" x 21" x 20-1/2"	BD(contains 15 EA)	\$164.09
8115-00-174-2354	DD	AbilityOne	24" x 24" x 12"	BD(contains 15 EA)	\$159.11
8115-00-417-9416	DD	AbilityOne	24" x 24" x 24"	BD(contains 3 EA)	\$57.48
8115-00-656-0912	DD	AbilityOne	27" x	BD(contains 9 EA)	\$104.45
			21-1/2" x 18-3/4"		
8115-00-579-9156	DD	AbilityOne	29-1/2" x	BD(contains 10 EA)	\$122.07
			19-1/2" x 19-1/4"		
8115-00-190-5017	DD	AbilityOne	30" x 12 x 6"	BD(contains 15 EA)	\$89.64
8115-00-190-5018	DD	AbilityOne	30" x 17 x 12"	BD(contains 10 EA)	\$89.30
8115-00-190-5020	DD	AbilityOne	36" x 14" x 14"	BD(contains 10 EA)	\$98.16



This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features include triple-wall construction and high-stacking strength. Bursting strength of 1,100 psi nominal. Maximum weight of box and contents is 280 lbs.

Regular-slotted box. Style RSC.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-579-8407 DD						
8115-00-616-9147 DD	8115-00-579-8407	DD	CPG	23" x 23" x 23"	BD(contains 3 EA)	\$36.13
8115-00-993-2791 DD 626 30" x 30" x 30" BD(contains 3 EA) \$58.58 8115-00-579-8461 DD 626 38" x 14" x 20" BD(contains 3 EA) \$34.38 8115-00-993-2790 626 40" x 28" x 28" BD(contains 3 EA) \$59.78 8115-00-559-9998 DD 626 43" x 22" x 34" BD(contains 2 EA) \$45.56 8115-00-559-9999 DD 626 45" x 22" x 22" BD(contains 2 EA) \$39.97 8115-00-559-9996 DD 626 46" x 46" x 22" EA \$42.22 8115-00-935-6510 DD 626 58" x 43" x 35-1/4" EA \$49.34	8115-00-616-9151	DD	<u>CPG</u>	24" x 24" x 14-3/4"	BD(contains 3 EA)	\$35.54
8115-00-579-8461 ID 626 38" x 14" x 20" BD(contains 3 EA) \$34.38 8115-00-993-2790 626 40" x 28" x 28" BD(contains 3 EA) \$59.78 8115-00-559-9998 ID 626 43" x 22" x 34" BD(contains 2 EA) \$45.56 8115-00-559-9999 ID 626 45" x 22" x 22" BD(contains 2 EA) \$39.97 8115-00-559-9996 ID 626 46" x 46" x 22" EA \$42.22 8115-00-935-6510 ID 626 58" x 43" x 35-1/4" EA \$49.34	8115-00-616-9147	DD	CPG	27" x 19" x 14-3/4"	BD(contains 4 EA)	\$39.28
8115-00-993-2790 G2G 40" x 28" x 28" BD(contains 3 EA) \$59.78 8115-00-559-9998 DD G2G 43" x 22" x 34" BD(contains 2 EA) \$45.56 8115-00-559-9999 DD G2G 45" x 22" x 22" BD(contains 2 EA) \$39.97 8115-00-559-9996 DD G2G 46" x 46" x 22" EA \$42.22 8115-00-935-6510 DD G2G 58" x 43" x 35-1/4" EA \$49.34	8115-00-993-2791	DD	CPG	30" x 30" x 30"	BD(contains 3 EA)	\$58.58
8115-00-559-9998 D) €26 43" x 22" x 34" BD(contains 2 EA) \$45.56 8115-00-559-9999 D) €26 45" x 22" x 22" BD(contains 2 EA) \$39.97 8115-00-559-9996 D) €26 46" x 46" x 22" EA \$42.22 8115-00-935-6510 D) €26 58" x 43" x 35-1/4" EA \$49.34	8115-00-579-8461	DD	CPG	38" x 14" x 20"	BD(contains 3 EA)	\$34.38
8115-00-559-9999 DD	8115-00-993-2790		CPG	40" x 28" x 28"	BD(contains 3 EA)	\$59.78
8115-00-559-9996 DD	8115-00-559-9998	DD	CPG	43" x 22" x 34"	BD(contains 2 EA)	\$45.56
8115-00-935-6510 DD @C 58" x 43" x 35-1/4" EA \$49.34	8115-00-559-9999	DD	CPG	45" x 22" x 22"	BD(contains 2 EA)	\$39.97
	8115-00-559-9996	DD	CPG	46" x 46" x 22"	EA	\$42.22
8115-00-935-5904 DD @26 86" x 31-3/4" x 35-1/4" EA \$65.98	8115-00-935-6510	DD	<u>CPG</u>	58" x 43" x 35-1/4"	EA	\$49.34
	8115-00-935-5904	DD	<u>CPG</u>	86" x 31-3/4" x 35-1/4"	EA	\$65.98



Half-regular-slotted box has short top flaps and a cover.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-782-1695 DD CC 48":	x 40" x 28-1/4"	EA	\$28.28
------------------------------------	-----------------	----	---------

Half-regular-slotted box has short top flaps and a cover. Side of box reads: "REUSABLE CONTAINER RETURN TO:".

Ontains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-926-4886	DD	CPG	46-7/8" x 38-7/8" x 26"	EA	\$33.94
8115-00-926-4887	DD	<u>CPG</u>	46-7/8" x 38-7/8" x 36"	EA	\$34.57
8115-00-926-4888	DD	<u>CPG</u>	46-7/8" x 38-7/8" x 42"	EA	\$36.13
8115-00-953-0276	DD	<u>CPG</u>	47-1/2" x 39-1/2" x 35-1/2"	EA	\$40.25
8115-00-935-1140	DD	CPG	48" x 40" x 36"	EA	\$35.10

This weather-resistant corrugated fiberboard box is ideal for shipping or storage under extreme weather conditions and high humidity. Features triple-wall construction. Regular-slotted box. Style RSC.



Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-774-6562	DD	CPG	48" x 40" x 36"	FΔ	\$34.99
0110-00-114-0002	00	<u> </u>	TO A TO A 30	LA	Ψυυυ



This corrugated, fiberboard box is designed for domestic and overseas consolidated shipment of aircraft parts, general supplies and equipment. Weather-resistant box comes unassembled, requiring only minimal construction. Maximum weight of box and contents is 280 lbs.

Features triple-wall construction.

Half-slotted box comes with a cover (transporter).

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material


8115-00-901-6435	47-1/2" x 39-1/2" x 28"	EA \$35.26
8115-00-901-6428 DD	83" x 49" x 28"	EA \$54.14

Sleeve has a double cover.

Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8115-00-901-6434	DD	<u>CPG</u>	47-1/2" x 39-1/2" x 28"	EA	\$31.42
------------------	----	------------	-------------------------	----	---------

Weather-resistant, corrugated fiberboard box is designed for use as an exterior shipping container or as an insert in cargo transporters such as CONEX, SEAVAN or MILVAN. Does not include pallets.





Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

0110-UU-700-409U DE 40 X 32 X 20-1/4 EA 52	8115-00-753-4690	DD CPG	45" x 32" x 28-1/4"	EA \$25.
--	------------------	--------	---------------------	----------

Dimensions are for the outside.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8115-00-753-4691	DD	58" x 32" x 28-1/4"	FA	\$29.85



For use as an exterior shipping container, this weather-resistant box of corrugated fiberboard features double-wall construction. Comes folded flat. Regular-slotted box has a bursting strength of 600 psi. Style RSC. Maximum weight of box and contents: 160-lbs.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

GSA Global Supply supports recycling.

Special-Use Box

This corrugated, fiberboard box features lapped joints secured by wire stitching. The lock-bottom box includes hand holes and has a bursting strength of 275 psi.

Use exclusively for retiring, storing and shipping paper files to the Federal Records Centers.

40% Postconsumer Material



Banker Storage/Filing Box



Storage files feature durable multiplethickness, corrugated fiberboard construction. Designed with smooth rolled edges, tote handles, lift-off lid and a large labeling area.

Holds letter size files. Stacking strength:

Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

7520-01-349-8776	CPG	Off-White	12"W x 10"H x 15"D	D7	\$22 29

Mailing Bag

Designed specifically for mailing small, unbreakable articles such as parts, bolts, nuts and screws. Made of unbleached cotton sheeting, bag opens and closes at the end with a drawstring. Includes a white, cloth-lined paper address tag.



8105-00-183-6981	AbilityOne	Natural	3" x 4"	BD(contains 100 EA)	\$44.75
8105-00-281-3924	AbilityOne	Natural	3" x 5"	BD(contains 100 EA)	\$44.61
8105-00-183-6982	AbilityOne	Natural	4" x 9"	BD(contains 100 EA)	\$46.31
8105-00-179-0089	AbilityOne	Natural	4-1/2" x 8"	BD(contains 100 EA)	\$46.25
8105-00-271-1511	AbilityOne	Natural	6" x 9"	BD(contains 100 EA)	\$53.93

Shipping Bag



Although not suitable for carrying food, this bag with its sewn side and bottom seams can carry most anything else. May be either new or used (cleaned and reconditioned). Does not include a liner. Weighs 7-1/2 oz. per linear sq. yd.

8105-00-179-0087	40" x 26"	BE(contains 100 EA)	\$128.28
0100 00 110 0001	10 X 20	DE(CONTAINO 100 E/1)	Ψ120.20

Pack and Wrap Materials

Printer Label



Versatile, self-adhesive labels feed automatically from paper tray.

Package contains 100 sheets of 10 labels per sheet (for a total of 1,000 labels).

7530-01-336-0540 AbilityOne	White	Label Size:	BX(contains 1000 EA)	\$27.38			
2"I x 4"W							

Package contains 100 sheets of 6 labels per sheet (for a total of 600 labels).

7530-01-349-4464	AbilityOne	White	Label Size:	PG(contains 100 SH)	\$27.38
			3-1/3"L x 4"W		

Full sheet label. 100 Labels per box.

7530-01-349-4463 Ab	oilityOne	White	Label Size:	PG(contains 100 SH)	\$27.38
		8-1/2"L x 11"W			

Weatherproof Labels



Weatherproof label provides strong protection for harsh environments and conditions. This durable polyester label features a strong adhesive for a variety of surfaces. Can be used with most laser printers.

Package contains 50 sheets of 10 labels per sheet (for a total of 500 labels).

7530-01-498-9208 White Label Size: 4" x 2" BX(contains 500 EA) \$20.79

Packing List Envelope



Protects inventory control documents from rain, grease and dirt during storage and handling. Water-resistant envelope is made of polyethylene film and includes a self-adhering adhesive-coated back.

Does not include a legend.

3 25% Postconsumer Material

6103-00-730-2710 IN \$22.7	8105-00-756-2710	<u>CPG</u>	Transparent	3-11/16" x 7-1/2"	MX	\$22.71
----------------------------	------------------	------------	-------------	-------------------	----	---------

Reads: "Material release/receipt documents enclosed".

3 25% Postconsumer Material

8105-00-224-8485	CPG	Bright Orange	4-3/4" x 7"	HD	\$1.15



Reads: "Packing List Enclosed".

3 25% Postconsumer Material

8105-00-857-2247	<u>CPG</u>	Bright Orange	4-3/4" x 7"	HD	\$1.64
8105-00-139-1276	<u>CPG</u>	Bright Orange	8-1/2" x 5"	HD	\$2.54
8105-00-985-7221	CPG	Bright Orange	9-1/2" x 8"	HD	\$1 44

GSA supports the federal mandatory procurement program of AbilityOne (formerly JWOD).

Return Materials Document Envelope



Flexible, vinyl plastic envelope is colorless and features heat-sealed seams and a plastic zipper. Inside dimensions are 8-1/4" long and 5-1/2" wide; 0.006" thick. Reads: "Return Materials Document Envelope NSN 8105-00-334-4120".

3 25% Postconsumer Material

Shipping Tag



Ideal for domestic shipping and transporting, this rectangular tag provides a sturdy marking surface and includes a polypropylene or synthetic tie.

Paper tag with paper-reinforced

Paper tag with paper-reinforced 7/32" eyelet.

8135-00-292-2351	Manila	1-7/8" x 3-3/4"	MX	\$17.51
8135-00-292-2354	Manila	2-3/8" x 4-3/4"	MX	\$19.47
8135-00-292-2355	Manila	2-5/8" x 5-1/4"	BX(contains 500 EA)	\$10.78
8135-00-238-6917	Manila	3-1/8" x 6-1/4"	MX	\$35.28



Rectangular tag provides sturdy marking surface for use in shipping or transporting goods.

Cloth tag with metal-reinforced 7/32" eyelet.

8135-00-292-2345	White	2-5/8" x 5-1/4"	MX	\$65.11
8135-00-178-9191	Red	6-1/4" x 3-1/8"	MX	\$123.55
(NFES #0216).				
8135-00-178-9193	White	6-1/4" x 3-1/8"	HD	\$7.70

Paper tag with paper-reinforced 7/32" eyelet.

8135-00-178-9192	Yellow	6-1/4" x 3-1/8"	MX \$106.04
------------------	--------	-----------------	-------------

Cushioning Material

Cushioning material is made of flexible, open-cell plastic film.

Nonperforated with reinforcing top film, static dissipative.



Contains 30% Recovered Material, Which Includes 15% Postconsumer Material


Material is flexible unicellular polyethylene foam. Packaging material is not flame or water resistant.

Product is fungus resistant.

Type 1, Class 2, Grade A.

8135-00-397-2583 DD 9'L x 24"W x 1" Thick EA	\$22.27
--	---------

Type 2, Class 1, Grade A.





Flexible closed cell plastic film cushioning material.

8135-00-142-9004 Transparent 250' L x 48" W x 3/8" Thick RO(contains \$87.70 250 FT)

Used for long-shipping cycle applications.

8135-00-926-8991 DD 250' L x 24" W x 3/8" Thick BD(contains 2 EA) \$90.20

GSA Global Supply accepts the government SmartPay® purchase card or direct billing through your AAC.

Packaging System



Compact inflatable Bubble Wrap System automatically inflates and dispenses 3/4" height bubble barrier material. The costefficient solution for on-site, on-demand cushioning. Provides storage savings. Comes in two bins. Must be used with inflatable bubble wrap NSN 8135-01-518-6573 (perforated) or 8135-01-529-9950 (non-perforated).

NewAir I.B. 200 - Generation 2 Model Packaging System.

Assembled: AY \$4,570.40 38" L x 33" W x 61" H

Inflatable Bubble Wrap



Plastic film inflates into a bubble wrap packaging. To be used only with the packaging system specified under 3540-01-518-6568.

Roll is perforated.

Roll is non-perforated.

8135-01-529-9950 Sealed Air Corp 16"W x 1,500'L SD(contains 24 EA) \$2,775.18 100057426

Packaging Material

Packaging material is made of closed cell polyethylene foam. Item is used for general purpose cushioning and packaging applications in temperatures ranging from -65 deg. F to +158 deg. F. Density is 2 pounds per cubic foot. Item is not static dissipative, fire retardant, or fungus resistant.

8135-01-005-8974 DD 108"L x 24"W x 2" Thick EA \$38.63

Packaging material is made of flexible open cell plastic film and is used for cushioning and packaging applications. The item is static dissipative. It is not fire retardant or fungus resistant.

8135-01-057-3607 DD 500'L x 48"W x 0.25" Thick RO(contains 500 FT) \$386.92

Provides corrosion protection when used with ferrous, aluminum and aluminum-based alloys and components that contain zinc plate, cadmium, lead (up to 9%) and zinc-based (up to 30%) alloys. Packaging wrap is coated with vapor-release inhibitor.

Heavy-duty material.

Opaque, laminated material is greaseproof, waterproof and moldable.

8135-00-664-0015 36" wide RO(contains 200 YD) \$787.76

Barrier Material



This plastic barrier material protects supplies during transportation and storage under all weather conditions. Also useful for all applications that require water vapor-proof, flexible, heat-

sealable, low water vapor transmission packaging material.

With non-woven backing.

8135-00-282-0565 Width: 36" RO(contains 200 YD) \$197.26



With woven backing.

8135-01-015-2810 Width: 36" RO(contains 200 YD) \$645.66



This flexible, heat-sealable material features a smooth surface that protects supplies during transportation or storage. Greaseproof and waterproof this material is acid-free and non-corrosive.

Heavy-duty type.

8135-00-233-3871 Width: 36" RO(contains 200 YD) \$150.27

Medium-duty type.

8135-00-224-8885 Width: 36" RO(contains 200 YD) \$134.76

GSA Global Supply facilitates compliance with federal procurement regulations.

Packaging Tape



A. This medium-strength tape is waterproof and weather-resistant. Features a plastic film backing. Tape is for general use in sealing fiberboard boxes and covering exterior labels. Has a 3" core.

12-month maximum shelf life (extendable)

7510-00-266-6715	Transparent	Width: 2"	RO(contains 60 YD) \$2.10
7510-00-281-2700	Transparent	Width: 3"	RO(contains 60 YD) \$4.43

B. Weather- and water-resistant tape sports a flat, paper backing. Useful for closing and sealing fiberboard containers. Has a 3" core.

12-month maximum shelf life (extendable)

7510-00-297-6655 PRIME	AbilityOne	Opaque	Width: 2"	RO(contains 120 YD)	\$10.16
7510-00-297-6656	AbilityOne	Beige	Width: 3"	RO(contains 120 YD)	\$14.79

C. Moisture-resistant tape has a plastic film backing and is useful for sealing containers and attaching labels. Allows reading of labels when applied over them. Tape remains stable after aging. Has a 3" core.

7510-01-425-6768 Transparent Width: 2" RO(contains 330 FT) \$1.34

Packaging Tape Dispenser




D. This heavy-duty box sealing hand held tape dispenser features pistol-grip design for center seam sealing of boxes. Dispenser is for use with tape from 1-1/2" up to 2" wide and 60 yards long with a 3" core. Adjustable tension controls tape unwind. Construction of dispenser is heavy-duty plastic and metal

7520-01-317-3230 EA \$16.81

E. This hand held roll-on dispenser has a pistol-grip and is easy to use for box sealing. Accommodates 2" with a 3" core sealing tape. Adjustable braking mechanism applies tension to the tape. Lightweight plastic construction.

7520-01-412-9527 EA \$6.43

Packing Tape



Effectively seals fiberboard boxes and paper wrapping. (Requires moistening with water before use.)

Two-ply paper tape is reinforced with fiberglass and laminated with nonasphaltic material. Non-strippable tape features a 1/2"-diameter core opening (minimum). Not for use with food products.

8135-00-598-6097 Width: 3" RO(contains 450 FT) \$7.69

GSA Global Supply makes organizing easy! Stock up on file folders, labels, archive boxes and packaging tape.

Pressure-Sensitive Tape



Premium commercial-grade, clear polypropylene, box-sealing pressuresensitive tape comes with its own disposable dispenser, a serrated metal blade and a paperboard flap suitable for hanging on a display rack. This item features impact resistant reinforcement. Has a 1-1/2" core.

7510-01-383-7967 Clear Width: 2"; Length: 22.2 yds. PG(contains 6 EA) \$13.10

Strapping Tape



Fiberglass filament-reinforced tape is for closing full overlap or full telescope boxes, as well as general bundling and packaging. Also used for carton reinforcing, unitizing and holding applications. Has a 3" core.

Medium-tensile-strength tape (300-lbs per in. width) is transparent.

12-month maximum shelf life (extendable)

7510-00-802-8311 AbilityOne Transparent Width: 3/4" RO(contains 60 YD) \$2.58

For dispenser, see NSN 7520-00-579-9053. (NFES #0222)

12-month maximum shelf life (extendable)

7510-00-582-4772 AbilityOne Transparent Width: 1" RO(contains 60 YD) \$3.17 7510-00-159-4450 AbilityOne Transparent Width: 2" RO(contains 60 YD) \$6.33

Masking Tape



General-purpose tape protects contoured or rounded surfaces from being marred by paint, varnish, or other finishing materials. Crepe-paper backing adds strength, which is invaluable during tape removal. This tape is an excellent choice for light-duty bundling, packaging and holding. Resistant to moisture and solvents. Has a 3" core.

(NFES 0770).

12-month maximum shelf life (extendable)

7510-00-266-6712		Natural	Width: 1"	RO(contains 60 YD)	\$1.55
				. (,	
7510-00-266-6709		Natural	Width: 1-1/2"	RO(contains 60 YD)	\$1.94
7510-00-266-6710	∆hilityOne	Natural	Width: 2"	RO(contains 60 YD)	\$2.94
1010 00 200 0110	7 tollity Offic	raturar	VVIGUI. Z	TO(contains of TD)	Ψ2.54
7510-00-266-6707	AbilityOne	Natural	Width: 3"	RO(contains 60 YD)	\$4.75

Glue Stick



Semi-solid glue stick securely bonds paper and mounts photographic prints, maps, drawings, and charts. Quick-setting and convenient stick comes in a plastic dispenser. Glue is odorless and non-toxic. For office use. CID A-A-342.

Type I - White on applications. Dries clear.

Class A - softening range on 50 +/- 3 deg. C

1 36-month maximum shelf life (extendable)

8040-01-039-8132	MSDS	White	5 to 10 grams (0.35 OZ) per stick	BX(contains 18 EA)	\$9.87
8040-01-360-8079	MSDS	White	21 to 36 grams		
			(1.27 OZ) per stick	BX(contains 36 EA)	\$56.24

Didn't find an item you want?

Call customer service at (800) 525-8027 or
e-mail your request to GSAglobalsupply@gsa.gov.

Permanent Marker



Permanent markers have high-intensity ink that is ideal for identifying and labeling. Waterproof ink dries quickly.

7520-01-015-1608	Blue	Fine Point	DZ	\$7.06
7520-00-312-6124	Black	Fine Point	DZ	\$6.71

Permanent Marker (Chisel Tip)



This jumbo-size, permanent, tube-type marker features a durable chisel tip and can be used in various positions for fine, medium or wide strokes. The waterproof, quick-drying ink is perfect for use on porous and non-porous surfaces. This all-purpose marker is premium-quality and AMCI approved non-toxic.

18-month maximum shelf life (extendable)

7520-00-973-1059 SKILCRAFT AbilityOne Black DZ \$5.68

Bent Trimmer's Shears



Lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Rust-resistant stamped stainless steel. Molded plastic handles are for left- and right-hand use. One blade is pointed and has a thumb ring, the other is pointed or beveled.

Has bent handles for easy, maneuverable and accurate cutting.

5110-01-241-4371 Length: 8-1/4" EA \$4.49

Straight Trimmer's Shears



Heavy-duty shears for cutting fine to heavy fabrics, cording, plastics, rubber, leather, vinyl and tape. Shears are intended for heavier applications such as upholstery, or on production lines where longer cuts and greater strength are needed. The shears have straight handles and polished nickel-chrome plated drop forged steel blades. Painted or nickel-chrome plated handles One blade is pointed and has a thumb ring, the other is beveled. Comfort grip handles.

Shears have 3" length of cut.

5110-00-293-9199 PRIME AbilityOne Length: 7" EA \$12.41

Paper or Stationer's Shears



Heavy-duty paper or stationer's shears. The shears have long, narrow blades, and straight handles. Polished and nickel-chrome plated blades. Painted or nickel-chrome plated handles. Both blades are drop forged steel and pointed.

Shears have a 4-5/8" length of cut.

5110-00-161-6912 PRIME AbilityOne Length: 9" EA \$14.58

Ergonomic Scissors



Reduce hand fatigue. Soft touch multipurpose, spring-action scissors have oversized cushion-grip handles. Flat-bottom styling allows the scissors to slide smoothly across a cutting surface. Scissors reduce discomfort in the thumb and fingers. Easy-grip handles allow for right- or left-handed use. Ideal for cutting longer straight cuts as well as multiple layers of fabric, paper and cardboard. Scissors gently open after each cut.

Scissors have a 3" length of cut.

5110-01-368-3507 Length: 10-3/16" EA \$13.27

Utility Knife



Multipurpose craftsman's knife has a hardened and tempered blade made of carbon steel and a single cutting edge. Removable blade and holder. Retractable blade locks in three cutting positions. Comes with five interchangeable blades that store in the handle, which opens by unscrewing one screw.

5110-00-892-5071 PRIME Length: 5-1/2" EA \$3.13

GSA Global Supply – Your Reliable Government Source.

Diagonal Cutting Pliers



General-purpose diagonal cutting pliers designed for cutting wires, nails, pins, screws or light metal. Forged from alloy steel with polished heads. The tool is furnished with standard cutting edges and cushion-grip handles. ASME B107.11.

5110-00-239-8253 PRIME Length: 6" EA \$8.88

Bolt Cutter (Clipper Cut)



Designed for close cutting near flat surfaces. The clipper-cutter tool cuts rivets, bolts and steel rods and has an adjustable, rigid, two-jaw head. Removable, sharp-edged jaws are made of hardened tool steel. Dual lever-arm steel handles have toggle or geared action. Adjustments compensate for jaw wear. A rubber bumper or lock-screw stops eliminate pinching the operator's hands. CID A-A-3047

Capacity: 5/16".

5110-00-596-9162 Length: 18" EA \$73.15

Staple Gun (Compression-Type)



Heavy-duty, manually operated, compression-type gun drives preformed steel wire staples in strip form onto penetrable materials such as wood or composition board. Use for posters, labels, tags and building paper. Steel spring mechanism returns handle to starting position and feeds next staple to driving position, making it easier to operate with one hand. All surfaces are coated to prevent corrosion. Comfortable handgrip design.

Tacker accepts 1/2"-wide flat-crown staples with the following leg lengths: 5/32, 1/4, 5/16, 3/8, 1/2, and 9/16". Tacker accommodates a minimum of 84 staples.

(NFES #2490)

5120-00-889-1796 Duo-Fast CS5000 EA \$62.75

Measuring Tape (Steel)



Self-supporting steel measuring tape features permanent graduation markings and numbers printed on the full length of the tape. Housed in a butt-end plated metal or impact-resistant plastic case.

Features automatic-winding power return, blade lock and a belt clip. Displays English markings. Graduations are in 1/16" increments (first 6" are in 1/32"). Reads left to right.

5210-01-139-7444 AbilityOne Length: 25'; Width: 1" EA \$10.78

GSA Global Supply
offers tens of thousands
of office products, tools
and maintenance/
repair/operations supplies.
For the most complete
listing visit
www.GSAglobalsupply.gsa.gov.

Mailroom Equipment and Supplies

Mail Cart



Carbon steel mail cart features a non-nesting design and two removable baskets. The top basket has adjustable snap-on file guide bars. Cart also has two swivel wheels and two fixed wheels.

Upper basket measures 24" long, 17" wide and 11" high. Lower basket measures 24" long, 17" wide and 7" high.

7290-00-260-1147 28" L, 17" W, 34" H EA \$402.24

Upper basket measures 36" long, 17" wide and 11" high. Lower basket measures 36" long, 17" wide and 7" high.

7290-00-893-7339 41-1/2" L, 21" W, 37" H EA \$423.94

Hand Truck



This hand truck is portable and lightweight with either a collapsible, compact or fold-up design. The wheels are high-impact poly, steel or rubber, 4" to 8" in diameter. The maximum carrying capacity is 200 lb.

3920-00-847-1305 EA \$52.54

Circulating Fan



Beat the heat with this high-velocity, two-speed fan. Use on the floor, desk or wall as an air circulator. It may also be used in the window for exhaust or intake purposes. The plastic blades circulate a minimum of 2600 CFM of air in any direction at a 180° tilt. The tubular frame has a safety guard. This fan is free from radio interference. Operates on 110 to 120 volts AC 60-cycle power and has a 10-foot-long, three-conductor cord and plug. Conforms to UL standards.

4140-00-961-5480 EA \$41.51



Stay cool with this column-mounted, two-speed (minimum) pedestal fan that adjusts to heights up to 96". Head of fan tilts 5° below and 15° above horizontal. A safety guard completely covers the metal or rigid plastic blade assembly. Fan operates on 115V AC, 60-Hz power and has a three-conductor 10-foot power cord. Conforms to UI, standards.

Oscillates a minimum of 80° and can be locked at any point on that oscillation range.

Fan provides 5000/7300 cfm air flow.

4140-01-278-1527 Blade diameter: 30" EA \$216.38



Fan provides 3925/5350 cfm air flow.

4140-01-278-3874 Blade diameter: 24" EA \$205.57



Fan provides 4950/7300 cfm air flow.

4140-00-833-5068 Blade diameter: 30" EA \$154.34

Standing Floor Mat (Anti-Fatigue)



For people who are on their feet for long periods of time, this mat relieves fatigue from vibrations and standing. With a smooth, uni-cellular foam base bonded to a solid rubber or plastic covering.

10% Postconsumer Recycled Plastic Contains 100% Recovered Material



Utility Aprons



One-piece, bib-style apron comes in one size with two large pockets and one pen holder pocket. Apron closes with a buckle-secured neck strap and waist tie-tapes. The polyester/cotton blend twill cloth is royal blue. Washable apron is suitable for wear when boxing, wrapping and shipping packages.

8415-01-482-1205	Length: 26"; Width: 24"	EA \$6.90

Work Gloves





These light duty work gloves are made of cotton flannel.

A. Clute-cut style with cotton knit wristlet.

8415-00-634-5026 UNICOR Natural Overall Length: 10" PG(contains 12 PR) \$26.99

B. Reversible palm style with cotton knit wristlet or elastic band cuff.

8415-00-559-5613 Natural Overall Length: 9-1/4" PG(contains 12 PR) \$24.90

Disposable Latex Gloves



General-purpose, disposable, lightly powdered, non-sterile, medical-grade, micro-touch latex examination gloves have a tapered finger design and can be comfortably worn on either hand.

Fits hand size 9 (palm circumference 9").

8415-01-434-1781	Size: Large	BX(contains 100 EA)	\$2.73
0410-01-434-1701	Size: Large	DA(CONTAINS TOU EA)	JO./J

Disposable Nitrile Gloves



Disposable nitrile ambidextrous gloves are powder-free and latex-free. Gloves fit tightly for a comfortable grip that reduces fatigue. Industrial-grade suitable for general-purpose use. 4 mils thick, 9-1/2" in length.

8415-01-492-0176	Size: Small	BX(contains 100 EA)	\$9.19
8415-01-492-0179	Size: Medium	BX(contains 100 EA)	\$9.19
8415-01-492-0178	Size: Large	BX(contains 100 EA)	\$9.19
8415-01-492-0180	Size: Extra-Large	BX(contains 100 EA)	\$9.19

It is GSA policy to offer products that fully comply with all applicable environmental regulations and executive orders.

Hand Sanitizer



Instant hand sanitizer in a 2-ounce squeeze bottle has a pleasant fragrance, and is non-toxic, dye-free, and hypoallergenic. Contains moisturizers and vitamin E. Kills 99.99% of most common germs that may cause illness, in as little as 15 seconds. Use anytime, anyplace, without water or towels. Leaves hands feeling refreshed without stickiness or residue.

A. Box contains 24, (4.25-oz) squeeze bottle.

1 36-month maximum shelf life (not extendable)

8520-01-490-7358 GOJO Industries Inc. P/N 9651-24 or equal BX(contains 24 EA) \$40.66

B. Box contains 12, (12-oz) pump-bottles. Can be used with Places Holder NSN 4510-01-490-6456.

8520-01-490-7365 P/N 9659-12 or equal BX(contains 12 EA) \$52.14



Purell instant hand sanitizer with Aloe has a pleasant fragrance, and is non-toxic, dye-free, and hypoallergenic. Contains a unique blend of ethyl alcohol, and specially formulated moisturizers. Sanitizes hands when soap and water are not available, leaving hands feeling soft and refreshed without a sticky or tacky residue.

C. Box contains 24, (4-oz.) squeeze bottles.

Travis Assoc. for the Blind P/N 1911-24 or GOJO Industries P/N 9631-24, or equal.

8520-01-522-3886 DD AbilityOne BX(contains 24 EA) \$60.92

D. Box contains 12, (12-oz) pump bottles per box. Can be used with Places Holder, NSN 4510-01-490-6456.

8520-01-522-3887 DP P/N 9639-12 AbilityOne BX(contains 12 EA) \$83.32



Box contains 8, (1000-mL) pouches per box. Can be used with the following wall dispensers; 4510-01-521-9866 and 4510-01-521-9870.

8520-01-522-3888 DP P/N 2137-8 AbilityOne BX(contains 8 EA) \$85.57

Soap Dispenser



Wall mounted soap dispenser only accepts 1000 mL Purell/SKILCRAFT refills. One hand push operation and portion control. For use with NSN 8520-01-522-3888.

4510-01-521-9866 DD	Purell/SKILCRAFT	AbilityOne	Gray	EA \$11.34
	P/N 2120-E			
4510-01-521-9870 DD	Purell/SKILCRAFT	AbilityOne	Gray	BX(contains 6 EA) \$67.69
	P/N 2120-06			

Lumbar Support



6515 01 418 5404 P/N 525 M or oqual Black

Ergonomically designed lumbar support belt that helps to provide greater comfort and lessen the chance of back strain. Features non-conductive flexible stays to ensure lumbar support. Breathable lightweight construction reduces skin irritation and discomfort. The support belt has a Velcro

EA \$20.0E

closure over abdominal area for a safer lift, with adjustable safety suspenders. Fits 32" to 38" waist.

0313-01-410-3404	F/N 323-W OF equal	DIACK	EA	\$29.00	
Fits 35" to 44" waist.					
6515-01-413-9293	D/N E2E L or oqual	Black	EA	\$29.85	
0010-01-410-9290	F/IN SZS-L OF EQUAL	DIACK	EA	JZ9.00	

Reduce injury with the use of protective gear.

GSA CMLS 501 W. FELIX ST., STE 1101 WHS 9 SEC F FORT WORTH, TX 76115-3411

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE \$300

www.gsa.gov April 2009

Catalog Code: 5-09-00055

Order catalogs at gsa.gov/cmls





PRSRT STD Postage Paid Washington, D.C. 20405 Permit G-30



Ordering Information



Call (800) 525-8027 (7:30 a.m. to 8 p.m., ET, Monday through Friday). If using your government purchase card, please have your card ready. Otherwise, have your six-digit Activity Address Code and account information available.

Fax your order to (800) 856-7057.

To order online, visit us at www.GSAglobalsupply.gsa.gov.

Call Center (800) 525 8027 | www.GSAglobalsupply.gsa.gov

